



Microbac Laboratories, Inc. - Dayville

CERTIFICATE OF ANALYSIS

D7H3008

Witches Woods Tax District

Project Name: Witches Woods Lake

Fred Chmura
25 Crooked Trail
Woodstock, CT 06281

Project / PO Number: N/A
Received: 08/25/2017
Reported: 08/29/2017

Analytical Testing Parameters

Table with sample details: Client Sample ID, Sample Matrix, Lab Sample ID, Collected By, Collection Date.

Table with microbiology results: Method SM9223 B-1997, Escherichia coli, Result 27.9, Limit 235, RL 1, Units MPN/100 mL.

Table with sample details: Client Sample ID, Sample Matrix, Lab Sample ID, Collected By, Collection Date.

Table with microbiology results: Method SM9223 B-1997, Escherichia coli, Result 4.1, Limit 235, RL 1, Units MPN/100 mL.

Table with sample details: Client Sample ID, Sample Matrix, Lab Sample ID, Collected By, Collection Date.

Table with microbiology results: Method SM9223 B-1997, Escherichia coli, Result 8.5, Limit 235, RL 1, Units MPN/100 mL.

Results in bold have exceeded a limit defined for this project. Limits are provided for reference but as regulatory limits change frequently, Microbac Laboratories, Inc. advises the recipient of this report to confirm such limits and units of concentration with the appropriate Federal, state or local authorities before acting on the data.

Laboratory DAY: Microbac Laboratories, Inc. - Dayville

Definitions CT102: Connecticut Department of Public Health - Standards for Quality of Public Drinking Water 19-13-B102
RL: Reporting Limit
SMCL: US EPA Secondary Maximum Contaminant Level

Project Requested Certification(s) Microbac Laboratories, Inc. - Dayville PH-0465 Connecticut Department of Public Health



Microbac Laboratories, Inc. - Dayville

CERTIFICATE OF ANALYSIS

D7H3008

**Report Comments**

*Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.*

*The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included.*

**Reviewed and Approved By:**

A handwritten signature in black ink, appearing to read "David P. Dickinson".

David P. Dickinson For Jessica J. Aldrich  
Project Manager  
Jessica.Aldrich@microbac.com  
08/29/2017 08:57



D 7 H 3 0 0 8  
Witches Woods Tax District

7/28/2017

- Page 1

Lab PO: 155791

ub

Frequency	Project	Description	Pickup Date	Required By
Monthly	Crooked Trail Be...	Beach Sampling	01-AUG-17	31-AUG-17

Sampling Point Information  
**Witches Woods Lake**  
**Crooked Trail off Rte 171**  
**Crooked Trail Ext off Rte 198**  
**Woodstock, CT 06281**

Client Information [WITCHES WOOD]  
**Witches Woods Tax District**  
**25 Crooked Trail**  
**Woodstock, CT 06281**

Contact Information

**Eric Werseler**  
**c 860-377-8076**

Comments: COLLECT in July & August MID-MONTH around 15th 16th.

Beach & Spill Way is on Crooked Trail which is off of Route 171.  
The Boat Launch is on Crooked Trail Ext. which is off of Route 198.

Sampling Point	Product	Times/Readings
Beach # 1 @ 171 Crooked Trail	E. coli by EPA Modified 1603 mTEC	1323
Boat Launch on Crooked Trail Ext.	E. coli by EPA Modified 1603 mTEC	1350
Spill Way Beach @ end of Crooked Trail	E. coli by EPA Modified 1603 mTEC	1344

3,7<sup>0L</sup>

**Chain Of Custody**

Sampler/Affiliation: [Signature] 8-25-17 Date/Time: 1350

Relinquished/Affiliation: [Signature] 8-25-17 Date/Time: 1450

Received/Affiliation: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Relinquished/Affiliation: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Received/Affiliation: [Signature] Date/Time: 8/25/17 1450